

McGILL UNIVERSITY LIBRARY

ORHGO . J47.7


ACC. NO. 194302 REC'D. 1925



1971 M. Teleminer 1 of for Prod K Pide \_ Bundles No.1McGILL UNIVERSITY LIBRARY

ORHGO . 547.2

ACC. NO. 134302 REC'D. 1925



7-

16/23

Tileen ve 1863-13 - Sex wellington -Bundles No.1. Pencil sketches Nos. 1-4. by T. C. Jerdon


McGILL UNIVERSITY LIBRARY

ORHGO ..

ACC. NO. 194302 REC'D. 1925




releemmen 1863-13 - Sex walling -Burch Man Cartan Sythet Tepheral Chitapon of X mit lighter net indleded a Bird of Sudia




releem wer I Jod for Prod K Plale \_ -5-143- Som. Woricana :-1862 - 18 - Tylan Dourse 3997 40 moles patale 1863 - 6 - Mercuber Paricula 1864.16 - Smittornin refolateralis 1861-43.1 - howlay - allifunt 1858- 134-1861-43.2-1866 ? 34 =


McGILL UNIVERSITY LIBRARY her . + hay Joel. 1858 -11.2 - Cet Johna lock 1899-8 - Thefalta series 1869-15 nett. Dabin' -1850.1. Vaya reaspierstrus\_


Tobralia panaca The I one berbance Gerassanctor beign one of ween - 740 herefr on sabflava - 507 - 1fareata - 582. 2 = Thank - for ohe -Sapic leventaa - 583-2 Pack femole - 1-Tye cafer - 563. 1 Les Lebols Od of Die Colocafria 603 Platy love levepalensis - 567-1 bay a convertis 228 Zelophorus Lenegaler - 477-2





















































3. 8. W.74 Carcalian unioppendialote



· 3.5. W. 95 Dumaeus never Holl ander .




3-7.3-57 Aftery & Goers









J. J. W. 69 blea manahanka




7.7.11.71 Cascarius emer




33.1.10 Altery & acistalis -




3. J. W. 73 Caracus binaculatus





3.2 14. 76 Dremain vnovalus -




亚. See over.








Le harll ors. afr. 55 V. Bundle No. 2 Coloured drawings Nos. 5-19 T. C. Jerdon. sufigastra 194302




Le beull Ois. afr. 55 Bundle No. 2. Coloured drawings Nos. 5-19 Pencil " " 20-24 T. C. Jerdon. Lean Corrus sufigastra Lalk




Le harll Oir afr. 53 V. La fie à calotte de fear sufigastra Lall 194302

ORH7011 IST See


1.2.648.2 VI. Lamprotomis -Just mannetianus . J




ois. ap 66.1. VII. I hendeur Sigelus - Celi Curnica africa



Ois afr: 117 VIII. Le merle jaune huppe




1.9.392. IX. merle à lete non Turbus atricapithus L. S. africa




X. Rippell n. W. pl.40. f. 2 Drznephila abypinica




ais. afr. 113-XI. Le merle roux a colhier noir-Adjonornis




Ois. afr XII. Le capocier -




Ois. afr. 133\_ XIII. Le figurer à cuti peunes. Trymoria organa by Sandwall




Ois. ap. 129 XIV. Le citrin 1.2.584.2 Inmoica Subflava - Incl.




ois. afr. 128 XV. La favoitte à double sourcel-Dry moira diffue pecces



P. 9. 705. 122. XVI. 1 Liquier de liste de France 2. — Ogethalus?




P1. 582.3 XVII. Tignier à ventre jaune du l'ênegal Zesterofet ?




P. E. 557.1. XVIII. Copsychus Inwanila Surdies mad ages carrens is for.




XIX. John menche dink Komben muscicapa infiventres for Bourton




bannes out lines Hergion, deast? Ke The dire leerure\_ Sane for earl purpy from various doutees



JAN M Shoel coll. XX. 10.3.1 - Santhia hyperythra -Sayeling




THE MAN XXI. lette prioce I cosia





malhorhe 10. XLIX XXII. Hume Ill Sny throstorna lucura - j ditude from E. parva.




malherbe fl. X41 X XXIII. rubiginosus, la a lyta Celesficos pyrhoneles. Brie







Kierase melano leucos, 1.011. ×11-179 his. no ferrugion abotever - third ple fure and logger How other thee -




Athere certaneoxota Bly the Jett. XIX 511 reles drunely barred with substand durky primaries light durky factly beared with lufaus ar lones webs , Lack arrans of ifets I hight lufeas on outer wieb; tuildesting with 8-9 nanas white a chitest bast the last often terminal; head I kack Closely Cranad with hight supercont in a darky ground cinhading strongly well sufres of beek; heart heart similar let the chars deeper abourer white with legeland and dear sheeks ; beet I last to fine white fill full gellar - miles ted bush. long abot 5 bis. Ki 1867. 295 -Ceylon


Kelipa javanensis Lefon.

(S. ketupa, Hong Makan 2


Cypseled apine tecterum. 16 Ly like C. batapanses - Dacker eltogetter tal Acter weres lager feet feetler Hallen -Ober sety hour with slight long of green ere bak how darker hunder tal blacker from Jane tent per desender vede poles anding theo at - 24.1. himp 4.5 ales faras ble (landre ) -Meer in the palin-leaf thatch of heets in Waler - making a any male nest y une feathers seed applicated - laying Labele eggs april - May \_ 2560 to 4000 for



Gestes pacifices Lullan (viltates IS., auchalis fould H. afas va & Tullas -Jas. X1. 886 Temperem - Tem Cachar - Sei




Avendo hyperythera, Lagaro Right MAS. XVIIIfy fealith lesia deke cythologics but deep suface below unfatted as well as a being - a theoles baref distinct




My tries of flication Letter from light to Malayan foundula Kear ahme I back of neck unfors

Meta Ogosapa surpationes - manyey Morgh birg black - tail black abbais f 1/3 - rest - fale cheme gellas the cirbul & 4 inche of back rack black, for lys elapate - thout lide of welk, La mail. my at rook of neck chile - becoming allows a ilwing sufercent when next thath occuptal hatel - orb-their please of fleeded the - galan fresh fall cell-white - till cenion base they Wellow Home whiteit at the carper curves Parentando all alt with flack baral band och 4-8. auan proves - carpe with 4 ratical groves -- will deel hum a cumfeel pleabea-£ 33 ½ - h 15 € - lace 10 ½ - bee Japa 6 3 -& Alack thoughtal ox will tal as a way follow - hell they pelan worth bound at have ( in wel) - to grome Sugarious -


Jockus Gerfalensis nows Ceylan ala Layard indicates another Aydrocifia (lime) a. M. 11. 4. 1854 - XIII - 260




Palaomis Calthrapa, My 12 Pars 8. XVIII - 800 - (sinnieri borneaux, k. 7 - midieller, Capir -




Lonculus afiations Latkan (L. Sdevardsi Meght fei halden Hi 1867 p. 469




Christalafter Michlandi, Lagard Indep. certitta, malkerbe. veg leke i. kounatriben - P. ay lones had. M. J. O. pl. (not bey lines rein of a a Machy termes whelly orinson where - bill fale - theore an i 6. deleparte no grettadistatus 2 11. 10 5 = bell 1/5mandain Lefter Tiga intermidia - fara : Ziga tiga (Mulacca)




Mary Herrus ay Porus ( Forder Peytheater bullot - T. reglicher deyler - 1. souverater, Lefon Neur Ime Water to B. auranties that D. Micklown Does to Deleperte -P. camenfillers - Typerci.




Myalterra geglenica freli 51 M. concept afear Coffin com. U.S. 14 Man Me. fl. 18 / Yas med the a small dack dade cace of Letien M. caricals, smaller, head not a tracel broker - to pale the reduced, the light sports at extremely of ming west also reduced & partices gomes in punker\_ Leyth of ainc, 4.15 - tail 1.75 the fr. 1.25 - Commen pedatery proposity - Loyad a M. 1178 1854 ×111 6.446 M. phaiosticta = phaiotiala -




14 Gands eganotes Byth 53 l. du avelei hoff in -van n. Carlos hills - Burnach Occupat neck back who x fail bight green - point of I hoadeled with a falch of cobalt the - forehead, ear courts 2 under ft of throat & neck the - a dark blue stripe across forelead. I cum son spets a side of hear one - over ear\_ under ege, & low down on cheek. beast a No fall green - uside wang duty yellow - under tail Mue green bill black berry - begg fall yellar green 162-638- Tal 28- (9.a)




Le baile Bab + . 55 (auriforms, I




Kantholoura whicopilla,
(Imelia) Ceylor Mungol fl. 14




Thours pyrhocollalas finel 58 Sem. I.J. fl. 5 - Leball. O. Op. 214orbital feather friest - our son veloct -



Centrales chlorothe nekos, Pol 8al +4111-805 Ceylon. till agen-eenfan greenistyeller - darken




18 Anthreptes Hanicotion J. P. 68 tax11.979 Jena pet - Sed : 108. Jeffere anoka Chaleoforia, Cabour




Restauria Casselli - 7 P.C.876.3 Grakan Tefferal In player Se. Sof. XII-1008Twens food othy (Bl. Este)

199 Tophiodomis affinis. 68 4: Coop la




19 Periaocotus clipan, Mill




Sdoleus paravisaus - ou P. Jas. XXVIII-273-10.5.75 . cold othangletened .62. ble . 75 -




Dioraras (addiiformii, M. J. Bill. XV = D. lefterined hill. Walden for Loball . b. 6/2. 10 pl. 1/3 Type in Legder Mecaseau ( pullers )-Much wanter the whated Doleis of Malceyan Jonusula Ital tail as in Preciocerces - faither of a little how der family lill & fleuringe Eddies like. N. 5.57 - middle t.f. 5 - culoming 1.5 to 1.75 linger till joke 1:37 - tani 1 felle - 1000 ft elevation ankejamoa - Keep te jungle




Decruses Minor Bl. a.m.n. H-1854. ×111 f. 129 Var of Mauriconcers - maller a ta 5.25 - veil å perfecti -Colombo - comenon




Buchana leccopyrialis, 18. 101. XV. 298 Ceyla Bustas forcatees facel. Like Condicions, but smeller while confined to have tail wests the obditional region being words inventet planthe the healt Colorato 10.5.07-




flancoppying sordida by backlen attit 1870. 218 frekad refercil-din a left shaller. deef pure there - under should. c. axill - went u.t.c. while tail hear - with dry fly of dack frem - her black . Weaf 3- t. 29- 4-14 Cuille - - 3. hearf as las. hell long much horked In Germis rear unicoles -



Krahysteryn? Patliseri blant- 14




Josthera (infricator, 136 80 (Marginela mayerata Pl Wal. 4VI. 141-L 8 2 ext 142 - 10 43. 73. Van 1her f. 1 - by flesty may hie Rash but blase hills -



Turder Planesticus ] rufalat Droper modestus, Sytar -Musica hell s moderter fallons


Accomba filoftera, Hel. Har. XVIV.49 Ceglon

Merula Kinniser Keleard Confin




Jeouisla layardi Walden MH. 18% p. 416 read citiena LW 48 - lile 4


Ceffen . Eare




Descincta spilettera, M. 142- Cigles




Reiffe nigrifien Bl. 11 but xviii. (egla-




y for Tardones heineaudates, Hel. 93 - Thiotes, Malden Tenafferier 15' -cut /n- W. 2'2- J. 1 2 - tang & he 6.55u. d. c. imfors - f. y low & reck laye, I cale like - centred pole - 2 vier & layer constr lifter fall rufors alne under har. Ain & effer there wh 9.01. Case of Dairo hills sad f Lukelin 1855 Lei Ja; that you - key t




T. subortrofceun Sontof anti-7,




Helloreum paleestre. ege jolas ed a reddirt pelas XXIV. Selvoo mock Talloreum March tous. 18 fort 12




Millorum palustre keylike Phichella -




I matorlines hypelande 28 nox1. 10 2. 6 3 = 735 We h 1 = - San 1 & fort 2. Erle kong pramit inid chilish cellars with space hind - peel fluty rellars




Tomatakinus melinusus He JAS. XVI-451 aylor




familax centreifund, Kelant 104 M. J. H. XX. 196 jeraal bee a wit how when the faler below; frehear & cheeks paleas by; chin'x boders of the gaster primaries alkerant;




James lax pularis, Melland - Agy find the thin fit XIX fl. 15 194-6.3.8- 74 test. 1.5. We f. 1.02 -Lukhifur rear Carbar -




34 familax parulinus, Bl. 106 XX-521 X




Frodelofteren reficiellum 186/07




Trokaloploron Austine When fit super bean with a presion to temp the back a sump; feath of lead week fide shafted, me maked in siles of week; under pt pale linen, spechled in the lucer beart with been of darky & whitesh, the later when increasing in extent to the belly it is heart all white; thigh could chiaceus à primarien Hack, the outer toel I the first four school quey, the west refere on the outer webs; wing weath deep sufors, The peater costs liffer whiteish; dex last recordances also tiffeed white tail with the 4 certie for with ruford; the 4 cater blackish a dark grey tipper alite All Hack; by fale pickingrey - hid water 292 ext. 102 W 4 742tas. 12 - port 13-As of girus much in h. Cacher towards




38 Sitia graciles, Mill Above gry - Kear Hack - faire to nech lail court pales - lies Lear court Hock. throat baffy white - also on heard xu.t.e ang endigo black with stight metaller beshe a outer webs , pale Hack towards lifs tip of land pale grey - 2 courte of: grey banes black i unch from tip - Hoch graduals on all to the cutor f. had Dark red. pregarrent - fewery on I flowers of Seinal - insacts




Malacouras Thiates - Louis 3 see - 2 2 pl. 12 y Cay los




Layerda Infercers, 150.



Tole vividescers, Ml. Im Khasia hills olin miercens -XIV. 573\_ 10.3.2. J. 2.9. tan. . 62 - hll . 8 Likkifur M. Cachar




(41 Tros flancions, bl. sas. xiv. 565 plani bells - anakon Back der bonn Decker en de ad - primaries & auter web of r. f. hale tinge of gellow . thewat acty brown, extending over breast, ed feel all fal yellow - a fath of yellow on theulder u. t. c. fale cellow, as we u. t. f. tinger 2. 1826 84 J. 34-




40 Sugiros confront, Bl.


XIV. 571
XX-520




Mutipala pelanictera find 126 Walden Mi - Ceglan




13 fracky for airs cinered sentris, M. 129 Tifferal hills XIV.176 Con y next By melanocephalus. Ifleral




Machy forius milmo cestales De Survice 144 (finel). Tatriofe. T Typerah of this L. beller surjects that the J. n.c. a a anerism - & that averagentris is after putting on that bury - all heig the Jame beid -




44 Stevenssa markicola, prelland




Phylomis chloroceshalus-balder ama & hand 71. 241-Rumoh Teppera




(opychous conflictions) block (burisotte; Meth -



Cop pelaish has bill har front 8 -W. 23- 7.2 ble I macerdat ber . let smaller . that thisted not fure white Cirticola suficillis - ny trife mer ege par c. theft c. flanks conde de de de boar land pour tides of tent auch rafe bright refines - If bar fale falvors at base, changing to surjour at or herry ney with how thank centres - Donal of. X wing co black with narion fulous edgup three or rung eyed & bifled with respons quills dack from with Willow rufors edging Redrices also dack hom outer webs wester with tevery sufous - tife file fulous undereath any brown - a boto flash bus of the and yeart for interminate feel fulows - loves the , cheeks thooly remounder surface fulons abile




Certicola inficollis - belden am MN. hack 1891 C. Melcov apholan, auders an 1871.




Dry maca valida, MgL 143


fas \*\* 180 
(robota \*viii - 812




Citicala malura M. Jal XX. 196 Bill thaten there in schemicala- upper pt. Dacker tail Sun ( each - president les alux Ruchish all-names informant




Palicifela tephrocopholes ander-Manis Like C. Norker but Lead & rape concrease ent Hack band along lateral way in & the green colour smetshat brighter L b 2.10. J. 1.90. fem. -72 hup.4. Mand




Cipa omstå bigles -Salo B. Asia -




I Temerenhas ellesfentata Lefron. Lay and A M. H. 1854 811/1. 217 = Partir Leney J. Mus. Light. Color - '
pon. (carp. f.) walden. Back tail Lings Rach with jeen fless freled allescent linder feathers crest branch black with altereal shifter heart, thool, went & wider to . Skenout the shifts of the feathers of the throat whising white Lagard = Skiter Some X, Jeimin Mess. (Lugo. Bat) Dongs. Confection 1. p. 419 Cramples a some x-state with entire head giery + lace - in f met with one Mainin- a described of Boseparte -Walden Mi 1867 p. 468




Sturnoparta subviliaris Ils var. contra- Ham, Burnol de




Sulakes stilogengs, Al.
XV. 28 5- leglin




Munia Kelaerte M. Calla-




acchais tindificas Barnet




52 OT notienen pempadoura finder leglin



" Macropygia macrura Smla Hoted G. Berefielte to intell light




- Palumbus Torringtonie - Keland Ceylon Suls 15 a




Toly lection titetanum chinging ficlearatum Lee 215 -

E ceylaiter aeron la vifer decent. another ball. + a tip of when a come of the the E.

Lephophorus Ichater Head not ousted ; forther ousp Lead peck heart fact Lung the des green - out affer gold leflection on back of heck in interscapedoes back white with homens dock Theaks; after V. c. dute; tall Brusish deskied down thous infegances with a pol whitish tipe helas deep black - Hell pleanit feet hay - are about the




Isnovnis - Jemininekin hur she Kead L neck & heast fine flamme and charge 100 affer plumage including Back has ving weelt to do




Sollophasis Honfielder - 188 mattura Whe 9 - milantus - 12 with over thank hit all love back surp Laffe. Int cuts edged white. form inform on most co, centre the sew brown slightly speckled outert of Hack fundaments dark as at co. chin suty bill grewish henry by the grey.

L19 & W 10 & T. 8. Lass 3- food 3. whily brown ind. brown - 19a.




Collophesis lineaters Lathan Nol. by. pl. 8 pormal M. Cacher Jed. paus can reful




J'allus Kankeye - Gray


(G. Lafayetti, Lefon, lineaters, Bl.




CHICALO Salls perdet jeg linical.




of arborista atregularis, 1. ( T. Minion, 13 Ham. Tiffera, Chilleying 294. at 162 W5 J. 22 fens 1.6 - bill for 6.5 -Caro, Lelan




Turnit pugnax Two varietie in Ceylon - are in Lorth Whe that of hidron generally the other in 16 South out neve defly whomed cinamen Obdominal exica



Turnit macules of. (J. Bluforde, 12. Burnah Thur




57 78 Podeca personata proj Cachon



Hackers melanolophers anakan (Kamer) - Clasto pefel fale gellas fafeing este proceed legs dack year - class yelles \_

To Lee. Gamps gardes -Faction beer cardatus -Zeetheren






Durcuftia of Species of Mis not uneited in the Bride of in Africa Media - let Het Caches the post Bundle (p. 15) Lars No. 3. ben fort sketch (b. 88) ben & rick. " hoter on Placent Namo like theranderson lingle-



Duraftia of Species of their Bundle Her techas No. 3. Drawing No 25 pentink sketch (p. 15)
26 pencil " (p. 88) 27 peutink. "hoter on Plocens. 28 -11- u Profes on Assam 129 -11- u Profes on Assam 129 -11- u Profes on Assam by T.C. Jerdon anderson hoght on from Mano like the



Duraption of Species of Mens and uneited in the Bride of Judea - let found in Africa the place hills Igthet lacker Higherch & Burmah . - - pour Anakan Ferrafserin Linnunculus athalus, Sys Sist. Desce. of suncestal large sign Kertril awterson hoght - on from Mano like them -



V.—Notice of some New Species of Birds from Upper Burmah.

By Surgeon-Major T. C. Jerdon.

THE following birds were obtained by me near Thayetmyo, our frontier station in Burmah. The climate and productions, both vegetable and animal, are quite distinct from those of Lower Burmah. The climate is comparatively dry; and the vegetation partakes of the character of the dry countries of India, mixed with some of the forms peculiar to Burmah. Ferns and orchids are few and rare.

I was only in this locality for two or three months, but managed to obtain a few novelties and some interesting birds that have lately been described. Among these is Chatarrhea gularis, Blyth. This bird is abundant and familiar, entering compounds and building in the hedges. It is a typical Chatachee, and when hopping with great bounds gives you the idea of a rat rather than of a bird. It has the usual whistling call of its congener in India. C. earlei, Blyth, is also not rare, but is confined entirely to the long grass and reeds on the islands and churrs of the Burrampootra.

I obtained both sexes of the little-known Pratincola leucura, Blyth, which has only hitherto been sent from the banks of the Indus, and is figured among the drawings of the late Sir A. Burnes. It appears not to be rare here, but is only found in the bed of the river in the long grass. I never saw it once in the jungle that lines the banks.

Lanius hypoleucus, Blyth, is common, and the only true Shrike I saw. I believe the Parrakeet will turn out to be a new species. I shot several on my arrival, but being in imperfect plumage (nearly unmixed green), I rashly concluded them to be young birds of Palæornis barbatus, which I had not myself had opportunities of observing in India. The call is peculiar, gentle, and distinct from that of P. torquatus, which species it appears to resemble most closely, but it has no ring. I found it in the month of May in large flocks, feeding in the bed of the river on cow-dung. A plain-coloured Bulbul (Pycnonotus) is common at Thayetmyo, but I have very little doubt that Mr. Blyth has already described it. It is of a dingy greenish-brown ochre, paler and albescent

beneath, with yellowish under tail-coverts, and the ears with the barbs of the feathers dead-white \*.

(1.) CRYPSIRHINA (TEMIA) CUCULLATA, Jerdon, n. sp.

White, head and neck deep glossy black; the rest of the plumage pale, somewhat brownish ash-colour, faintly glossed with a vinous tinge on the tertiaries, tail-feathers, and the plumage beneath; a semi-collar of white round the upper part of the neck, separating the black from the ash colour; quills unglossed black; some of the secondaries edged externally with ashy white, and the wing-coverts also faintly edged with the same, forming a longitudinal light bar along the wing; the centre tail-feathers black, widened at the tip, suddenly on the outer web, gradually on the inner web; bill black; legs brown-black; iris very pale glaucous-blue. Length 12 inches; expanse 13; wing  $4\frac{1}{2}$ ; tail 7; bill  $\frac{5}{8}$ ; tarsus 1.

The tail is much graduated, and as in its congener, Crypsirhina (Temia) varians, consists of ten feathers. Compared with that bird, the tail-feathers, judging from a drawing I have, are much narrower, and the broad termination more marked. The bill also appears to be comparatively shorter.

I found this neatly plumaged little Magpie not rare at Thayetmyo, in Upper Burmah. It was generally seen singly, now and then in pairs; wanders about a good deal in low jungle, and feeds on grasshoppers, locusts, Mantides, and the like. I have seen it catching white ants, as they issued from their nest in the winged state, with considerable dexterity, returning usually to the same perch. It breeds early, I imagine, for I killed young birds in June. They differ from the old ones in having the hood dusky-ashy, instead of black. A native Shikaree assured me that it occasionally perched on the backs of cattle, to devour the insects that often infest them.

(2.) Pericrocotus albifrons, Jerdon, n. sp.

Male.—Crown of head, nape, back, wings, and tail glossy black; forehead and a wide supercilium white; lores and ear-coverts mixed white and black; chin, throat, sides of neck, nearly meeting on the back of the neck, the greater coverts,

<sup>\*</sup> If new, Pycnonotus blanfordi, Jerdon.

tertiaries, and a band of the primaries, and the whole of the lower parts white; all the tail-feathers, except the four centre ones, broadly and obliquely tipped with white; the breast with a gorget of shining orange-red, and the rump the same, mixed with white. Bill black; legs dark brown; irides light brown. Length  $6\frac{1}{4}$  inches; expanse 8; wing  $2\frac{8}{4}$ ; tail  $3\frac{1}{4}$ ; bill rather more than  $\frac{5}{16}$ ; tarsi  $\frac{9}{16}$ ?

The female differs in having the parts that are black in the male sooty brown, in wanting the breast-spot of the male, and

in the rump being only slightly mixed with red.

This pretty little bird is the representative in Upper Burmah of the *P. erythropygia* of Southern and Central India, from which it differs conspicuously in the white forehead and in the somewhat paler and more aurora tinge of the red on the breast and rump. It is found usually in pairs or in small families, chiefly in low and thorny jungles, not frequenting the dense forests. It is active and restless, flitting about the smaller branches and feeding on various insects, which it usually picks off from a leaf or twig, now and then catching one in the air.


(3.) STURNIA BURMANNICA, Jerdon, n. sp.

Head (crested), face, throat, and neck in part sullied or cinereous white; the feathers of the head long and very narrow; back and scapulars dingy grey, paling on the rump and upper tailcoverts; wings with the shoulders dark grey, the lesser coverts glossy hair-brown, the greater coverts and secondaries pale, glossed, yellowish brown, the latter deep brown on their inner webs; the primary coverts mixed black and white; primaries deep brown, pale at the tip, and with a white bar near the base, forming a white wing-spot; tail with the two centre feathers glossy brown, the outer ones black with a broad white tip; plumage beneath, from the breast, pale vinous, albescent on the middle of the belly and vent, and white on the under tail-coverts; flanks of abdomen inclining to greyish. Bill orange-red, the nostrils and two-thirds of the lower mandible dusky; orbital skin blackish; irides yellow-brown; legs and claws deep yellow. Length 9 inches; expanse  $13\frac{1}{2}$ ; wing  $4\frac{1}{2}$ ; tail 3; bill  $\frac{11}{16}$ ; tarsus 11.

This Mynah is somewhat aberrant, being allied in its colouring

Mr. T. C. Jerdon on Birds from Upper Burmah. and less robust form to Sturnia, but approaching Sturno-pastor in its red bill and habits. It is a Ground-Mynah, of familiar habits, feeding in the compounds and about villages in Upper Burmah, and breeding in holes in old trees. At the pairing season it is generally in pairs; afterwards small flocks of them are seen together, and many resort together in the same tree. It is rather a silent bird, but has the usual Mynah-like call when it takes wing. It feeds chiefly on insects. (4.) STURNIA NEMORICOLA, Jerdon, n. sp. Head, nape, face, and whole lower parts white; the back of the neck, back, and wings ashy, tinged with ferruginous on the upper tail-coverts; quills black; secondaries the same, edged with grey externally; winglet, and a spot on the greater coverts, pure white; thigh-coverts tinged with rusty; tail-feathers blackish on the inner web, more or less grey externally, and tipped with chestnut, increasing in extent from about 18th of an inch on the middle feathers to  $\frac{3}{4}$  inch on the outer tail-feathers. Bill blue at the base, then green, with the tip yellow. Irides glaucous white; legs dull yellow. Length 73 to 8 inches; expanse 121; wing 4; tail  $2\frac{1}{2}$ ; bill  $\frac{5}{8}$ ; tarsus  $\frac{7}{8}$ . This is a typical Sturnia, and, like my S. blythii and S. malabarica, keeps entirely to the forests and to the tops of the trees. It has a pleasant warbling song. (5.) CHRYSOMMA ALTIROSTRE, Jerdon, n. sp. Above pale reddish brown, deepest on the wings and tail; forehead and streak over the eye hoary grey; beneath whitish, tinged on the lower part of breast, abdomen, and flanks with pale fulvescent; quills and tail-feathers slightly dusky on their inner webs; under wing-coverts pale ferruginous. Bill fleshy horny; legs fleshy; irides dark brown, with an outer circle of white; eyelids pale sulphur-yellow. Length  $6\frac{1}{4}$  inches; expanse  $7\frac{1}{2}$ ; wing  $2\frac{3}{8}$ ; tail 3; bill  $\frac{3}{8}$ ,  $\frac{1}{4}$  inch high; tarsus 1. This interesting bird is very closely allied to Chrysomma sinense, for a young bird of which I at first glance mistook it. It differs however in some important particulars, more especially in the depth of the bill, in which it makes an approach to the Paradoxornis group. The claws are more lengthened and less curved Hob los pot à vilas Marrawfather Fond tots - small Coleeplera


4 - Accipiter (Microsisus) anadoides x Jun. M. cd. . Italid to occur a the Kichaels - Pleine Kesona




6. Athera cartanoptera - J. P.C. (tastanetur, Ab, th Poliomis poliogenys, J. Mes. 235 ( But. Jugarous Myth Jas. XIV p. 177 Pol. towenter Pega balder

Romin selspute : Einoure Fenoper.

Sujactus and ame user - Tyther J. J. Soc. tole 1865 p. 112 -Layert 25.5 10 14 - tan 3.75 - tail 10.25 tail y bas - beary white referre a lead, affert. c. & interior of things - ways tal Hener hape brown - bad in some with long, eterdinal bran thice - under w. c. ofolled breus. See p. 211 -




3 - Herendo hyporythina, Layard 11 5 like H. ey law figer but deep refer Kelaw a endlas or resports that his distint. a bealrace Hirando andersenses Tyther Where sterry pueble - Lours & tail brown below white . Will Hait less hate Llyth Jellow ?) A. S.S. - tal 186 - Least . C'S. open 1/ace in jungles. infinite Took Black make make



Idocalia linchi ? (affinis, Tyller Mewan. l.c. 318 afferful fet thack with from to Have aflection; throat & heart hear; helly gellewish-white; under Y. coverts dack bour with freen reflections each fouther affer about , till a legs black -Length 3 4 wrop 3 = to 3 4 ; tack 1.36. hedt maller Labeter then that of kidefica


leaved for he Del.o. 20 der. pl.39 "The same of the s

Harpacter my throughaber fails Smiller then Aryuan 11/2 W.5 tail 6 loten were vivid experially the ced -




Harpader overkion Burnice vac. nit want See over Ale other side XXV. hert of Ghoden God\_ Apr lager a spend to an y leanes


Trinochiles pipo Lefin (out Jolph. 26 men agus las Dicaum tujonestijma, tep. contlaw, Luthan - cioceowhte by araka Temper 1.C. 498. 3




O Nyctionis anictes -falo B. Ini An ll. 3 mergan




Halayon leurocethales van 18 19 Samere -of albercent were a by - Pelayofin busmannicus. Marke




6 Greinentes Haley on fulchella Herr




Todiramphus .




Mædo peningteng Herlj. Temperen reflerer berg Lum y interior on Lear coast,




Acedo perflina, Sand & Law occurred in Steresporein + whin Blythe bil




Serilophus lanatus fall.




O Ensylainus Javanias




Day din Samatranus -




6. Combishyrchus mecerosky nothus




Egyptishyrchus affinis-andran




O Califitamena vinides. 28




Myticeres valsaficles key milar le A. refieller, D. of Papera male only difference of color . The duch cap can that were shorty with jellment white of checky Checks & galar ska dear pule yellow - hider Temporen only -




Anahinus Tickelli - (Myth) Sag. KKIV. 266 - Hii 1864-173 19th ray hueros good eating




Paleonis michanicus - Suld Le 87.5. 1866 - 5:55 Construction of Construction of Marin Marin - Suld Marin - S 35




Palcomis canicals, Myth The XV. 23,51 hickors




Sprium Seloputo - sineuse Jenaperim




Picide Pians (atratus, 184th. Rt. 1884 Tenaperin lat. P. andamentis, 198.




Tion Manforde - Bly 12 var. 1 ? Mahattensis - Pyr la. I XXXII. 73 - the chete markings much developed as of s class or wrige x tail Jasquipions conicafilles, 13l.




Malbuficus Hodrer, 1.1. Mily Hack exect oursen lead -




Muleupieus Ledoni, M. fulat ? Manfarde Ray fyl Gifith A.K. XXXII- 75 Selber he javender gatite remp he 14 of our g reater and . y aboute on and say of any - or wify basal half of remises



O Thistowar javers is




Geines midanes pl. Jas. XII. of dimidiatus, Is Burnoto aration.



Oppollegna meddalis, T. De. 384 J. Damah ...

Carales oneder - Ml XXX1-341- Whe Practice whole vall pen - elighty Toughor allow to twant of fe auf tipled cinta wing that a inter wall - tack darly also peer eged at loss - all except andthe for well 4 whilefit in board half of come webs all white - bur I al rider y cas - feet per

Secrales oridis pl La. S. XXX 1. 341-Like franken - thethe sall green stylly pellaish toward hope - - the feathery the runfs tifle crisia - wing that in the unen sets mall - tail dusky, Geged quen at bale all except contral four with 4 about flats abasal laffy inne webt. All able hvid at ider y base; feel que



O Ansofilegna funiceus Hers! Terapen 1. Miranoh

Hemicereus carente -Con y timestanfills along Salween


Meiglyttes tritis J. P.C. 194 47

Minghernes places? - rhyld Distanct -

pagleptes jagularis M. 48 Sas XIV. 195- Barmah.

9 M. hat Finch. 13 pl. 4


Allene Whitelegi - 189 2 araboides - vas h Barnah Donn to Sea level. a fair in berandah of Col. Phayre, house makings en quille a cecturies fever than in full bird - tail of 6 normons Whole bar - orf 4 in according




Hemains canente Lefi-




Taxelotten. Chypoioccyx scan Montyrchus Hory J. L. 1. Burnah are till & Lickelli byce at Mouldein - te mergin Helfer




Junelostomus javanicus - Hong ilk




Manicephanes anvitastris Le baill . O. Efr. 224 - J. Burmah ? Cythropathus - Codice (Bl. levb)




Famelortones diarde Teroperem




Centrapas audumanents f Sal . Sutie & consum clesnet when a lettle miller the sufficiences -




Auchottera Phagrei M. A accepta M. Set. XXIV 48 Deptoure heat. Hafrella n. phaper P. 0 376.3 ×11-1008 To B. 1 Reden lectarina Lecteralis. Horse. Exima, J. P.C. 138.122 andeman x prichers



Nectarina malaccensis, Sup So. J. bel. 1. 121. ? Cefida. P.c. 126-122anakan Tenapon




Apple Ingilostis Lewen



19 : Ranius (Incionensis, (Sup.) L'apriciliosus, Legar, A 1.7. 1854 Ceylon & Madamans

front white.


Lanius hypolesicos 180. 68 Jas. XVII - 249, Marnah Head rate stock below dut asky; a Hack there for gafe to ear- caset; back, surp Luffer t. c. desnut bay; wing han Hack with a shite oft at Cone of purames . Tail not 4 conte 1. Bur Hack, the next pair tipled white , must more boadly so, & with the outer met whate; two inter pain was abell white exoft at base -Bell flumbers flack - feet flumbers bonn hid. Tack have 272-oft. 11- D 3 8. J. 55; hll f. 16 - tass. 4 That my d - collinarded, Left.




Paris + the bolociona aconsis Bl. 69
melanoptera, Bl. 1152 off. 3-1
xv. 30y- another

Tenoro cetus and amensis Letter -Real allied T. herriotas: bidamans. Who true quelet the speciosas - arth mu pla a flome color - maller 27. W. 3.36 - tail 3.5 hll p. 52 Higher Bl. - nonthoparter Kaffles of Malacca & Sumatra -

Pericocate fraterales - 2 Hl. Stamme Siam




11. Kal Pride Sorieroeoties andanousis - Tople heaf alled Theories tres - when mere reacht lk speciosas- smaller L=7.60 3.36. 7.8.5. hlep. . 52 and am and -? I scouthgaster Raffler, i friend Bl. 1 molacea




Tericracties alliques - Buller from note book wings a love off Hook, In freder Linde Supercleien white; loves thy wear courts Rak; chin, throat, aband in the fruin dies, the quoter ast tertranier and land facts white ; all to ficket tente men hoad tiffed that obliquely heart auth a garet of crayer led; sump The sume leixed white; h Will Hack by dank han ; wil lans 164 ext 8 - W 2 4; tal 54 bill fr. 1 valte mare - tass. 1/6 -Thotayo Es kay

loses in sole with the state that the sear much Rake that there Man high a light from you will all Kinis and love fate able . The Jane & Am Millian in M. 575 - hert alm sharplened of 62. fill 75 - Lee D'ouras eddiformes A. Jas. XV. 294 D. Miner, B. M. M. M. M. 1854. XIII p. 129 var of D. Macovaras - smaller for 5. 15 - rest - populin · leligabo - Common -


Atamas kurgester hear




i toma Dies BO Edolais affinis, Tyther Mason andeman per partal out whatever - character of feether of hear affermente those of Brunga L.19.5\_ antert of heyard 9.5. W. 6.36. bill frat 1 - tass. 1 pay alled E. rangoonensis, fauld




i tomodies Be Dionnes andamensis, Tyther Meuvan, le. 323-



Sicroun intermedies Bl




Dienen leversteen = cuirecour-




Myrgra Tyther Newson. l.c. 324 bee p. 89.

moulida


Lucevira jasanica hergur




1 Hemifus Shains pergur



Mora J. P.C. 216. muscitre a airere a Ja 1. XVI-122




Notes aganoples a J. P.C. 218 malacceum, Rl. Jas. XII-960-analacceum




Tilla cyarea, Mi. XII-1008 2 XVI.153 Temporin acakan J. marfinata, Bl.
fast XVI. 141prakar

Madyllign - ( Newa Uni 1890-321




Jeverella inotata, All and And any Muamers nichan




Turdulas interpres Kull -Juid anouser, frey fulf ich K. fej Burnah I javanions, and = I. Junions, I thather


Revenda inframayinata and a wear




Anthocincla Mayrer 8441 - 343 -




Christman altines is bedon 90 Mi 1862 Mar fale redich home, defect on wings a toil; keneeth whites he tried on heart about a flank with fel fulaescent ; juilles x tail of shiftly desty on the Given weby - frehand & sheak over Bill fluty korny; her florly. wiel dack from with white outer wich yelids pale salphar pellaw; actal lister day thory i 164-it/1-10.25; tails, the p. 3 i 4 with high at bace tans 1-Skytmys - wets




Chy mma altierte : mit the oys hoosey - ander w. contr ferruginous haff; claws log, ast much casast, his too Loland teth




Turdinus crispiforus 130 92 Temporin




Tudinus juellater, Likell 94 Teraporin De ofthere or a hew spear, found y are an Phasian hills - I fait to fould but int che miched jet -




Tellmeun Tickellig M Thappein




Panatshins albyrlanis M. Exaperin




Canalox Belayers




Canulax thepetans. Tick




Janualay chimates Tracipuin



Trochal ofteren pulmertigna Jen Jean




Sitia Inclarolarca - Tichell Tenafronia




Matarrhan pularis - 15C. XXIV- 478 Bell Jooky fale fellow at pupe as far or antice. Mid puntap gellar i bys primish horney 111 ext. 11-6 3 = ; tail 5 = ; M fr. 10; tas 14-

Il Joseph playeller at forfa with property from it for promise home In fair answering one another - but to


Kirox affinis Tyller 29.5 to-6.6.75- 5.4.36-4.5 Smaller than scutellaters - were informs bela - dacker alma -Hear juyler Port Bleir



Agsifeter mercers. Me Sa s. xv. sy. hides. olin Ixo ancla - XIV. 579




Hypsifeter Tickelli; Pol.




Inos Manfadi Jadam 125 Comiliaris, M. Thi 1862 p.


4441-343\_ 11- Pegn Carthe brown , baler heralt slip so an beent- love it colly ly lyle out. that of ear tweeter carpitains while 18- + 3 = h 3 2 - tan 2




o Crimper ochoceft.alus - mergan




Crinizer ochraecus
ponce - Ces . j. 252
Jeraperin




I so tristes - Alget anakon




@ Two analis . West = pergui



Tyconoties finlaysoni Thusken x




Pycronotus nigropilear, Al. 130 4VI-472 . S. Sarmat




Ina lafnestayi , Hartland Ciraker

O moundres, Ml XV. 46 \ hickory


Ta. . 0. 1. Griobers tenaisostheis. Mythe Jogor Clark rapid - parent Jogor XV. 48 harbabe Hat paled -




Toi. - 0. 1: brioles macroured, RD. 136 Laf. XV. 46 hicobars.




Tai .. 1. S. andamensis Tetler Mach nuchal mack extends quile wand thobotheres - well defined my lightly tipped galler - iffer ung Co. L'apolas hight yeller all tail of exall medde for de tiffed yalar - must poud to taxed L 9.75 D.5 J.4-two.86. outerwort -10 \_ - 5.12




Taining Indones 1 134 O. pelawophalas -Kernah [852-W.S.12 - tail 3,15\_ fulally rune species a had now and -




Traising lidon .. 1 Killacirola allinoutier, Al. Jul- xxv11 - 269




Tamia Vidence notedela diana sipor 142 Nelager by- fl. hulal Hospan Heren & Jeger ? a halay had figured and a coa it was some by like beare in some the chite poulat work land exist




Trevia lufer cens




Minica Present Willen a.Murs




Pellomeum saboch a ceum 14/ Jamboe. and 18/1-Marmah




Merultius aera-latins




Machlolo thus substitutes, Filee Eightenin




Zorterefi sianonsus




C. policinaters: 10. heave intermedien the admirates fl.




Torne Selendens relasoid var. 1 Surmer Logla-




" Brukeri Tilla Uncipa magnisoshes, BC. 153 15 women



Dudwilla Bufleye The and amers XXX11-88 buy a fail weef black, with how while falch a wing - Lead, well sthewal dock han; back enve enfons. bellg a vent very sufam a derant 2/18 6 6 7 - ble papel - fact. 1hel they but - and



156 Temia varians., Hent



18/ma cucullata Jeiden, Mis 1862 feed fuld 13. Am 18 XV fl. 4 Will head nope face our chin totesat deep flop blak; but of the plante pale punis & asky flyed ith a four somes but a the tertainier, tail feethers & ferest; quelle unglessed blade - I me of Jecustilles eged with the asky white externally, 5 the greater weets also eyed with same forming a lajtadisal light bar along the word. autic tof. Rack, ordered at the tips jaddenly from outer web, good wally on the man web Nell Hack - by, han Hak - huch pale sky Har - L 12 with sext 17 to 13. W 42- 7. 1- hll fr - tes. 1. tal such prendacted of 10 f. - (a dome) (der of white round uffer ft of mek. In tanach whi the graph floor Ve Thetas -





Photo p. Ferenchees himanices feeden Vitt. Leguerus defin Head (creste ) face, chin, throat & week in part alite, rullied on lead & rafe; where the fouth are my lay namo x fainted; flunge alove, but Leafulas ching need faling on the weals huffer talands; wings, shallen dall guy lefor Courts glof hair brown; funter courts & seconduces fale gloped gellowish hom, the litter due han a their inner webs; puinary courts 114 xed Rack & whote puisances deep brown pales at the tip a with a white best hear sale foring a conficuer ing pat, Tail with & certal p. flogy brany the aterines Hack with a hoad white tip. herealt from wast fall un out, albercent on widdle belly & rent, & white on the course te.; flanks gegish -All nage red, notich & two thirds of love wand de ducky ; nuked obton skon blockerh In yellow hour - Legs & dan deep gellow -Loyth 9- oxt-12: way 42-73- 1dl 11 pont tais. 14. They trays

sin frech I face, this thent i note in fact registed of my is sper y coop in graphic ing my : super standil : come to constitute de Los where offers of word in the sand on for land of the the day day they wife cing held fire per times and some file of fee altering the The day Course the viewe water. primary and, 1440) thank take the mount dely have falor of the tells and the mile has The law i employed a line of and will Lail with & distant b. Will that the to car thank with how I the til howart for hast fed mices, Marcont was 30 to tell I went, a white on the come to . . Harli profish the more well in the to the thirty of lower was elle fierly; I wasted efter the laster has getting have take a done day lightless. to the me in the The time of

164 Truckus en theologia A.

per wife face i that law the talk had a pet fait a wing well in god tenginas maper fice, juster year " or have Hit; to Dance wife with of the fines of per land a alila - Hisking to this mitig. to father to the june well a if my extended a life of went. inverted for wells fold think to fee her -Creen with Take Metho I has Alles for fours wife - El the gills -13 B. 140, 7-89767 1 11/1 retord water


Sulchas. Frecha Chilamorensis, Tetter



Sulches paranessis\_ Michael




Sulaber in kome dia-acaka




Hunfelices monation 18. \*1.194 Fenoposein \*V. 32

Colonis danices by the in


@ Calomin Dauricus -




© Calomis canter- 90.129-12 . helanost - ? Chaly Louis M. C. office Hay, if districtandiement. Tifferal - aut




Mocas shilistinas hyfinantka, Dandie H v. sa. s. x11-941-) Burnala




Padda orgiona




Paper flavertos, 19 ×111-946 Commo Thyetmy o



Paper opiniles bilder a. 1. H. 15/0. 215 Recentler connamence - maller- her Menderer - chack I Miller og rock fare white hand flents & westration 6. 25 t. 16-




Sukerija natila, Pal \*\*\*11-79 1. a near Nappeis heard higher jellens. W 3.




Muria substiciona - van-Head rock & heart glossy Hack ; where Morant, leneath still dafer chessuit, Muning on lawer abolem. ~ ut.e. W. are deep hour; after t.c. thing led at bace, pellar at tip; & contre t. f., the 3 next pain a each side edged jellad on cater web, outer mes band edged, rest cinnaman brun ; quills ducky han were mels neie dale Huit; hegs hight plumbens and hom L'4i est maf / ; W. tais &-Thelloga -

witnessen wing low rotes front fill dates dute to Maying in law alet min delice in acc teefelier . affect . c. hours good it. base, who at life; \$ ande life, the s hast fair - earlie es of so pelles or ale melo, inter mes har falled, and consumer some ; quille ducks from the file thister by high plumbers and home Le trait


Thotheron Marofitera, M




Espophaya insulares, the Miches. Upper to declar inding to steel beer , alte tail the black -




Myciticiocia hicolor-Sonn boy + 109. Andanaus . not ottained & Titles - Jay other C. history on C. ngjerticiona Leen in lago flocks on Kerconclain is land \_




Calones nichancas - Prings hickord a locas hobyt chowed on childrens




PAT Macofypia laficels & meigra




Manopypia rufifernus pl.




Chalenthals augusta Son




Phoo metices, L.




a argument of autions




@ Enflucimens birilleti bady of Loraporen




Kanadinas Plagrei\_




arbonida intermedici \_ M. anakan




Aboricola husses-fectus, Titale Temperin



Aboricha Morpus Ill. la last y Terferin




10 Colo parolox ocellaters - 14




10 Kollulas connatus 790

Two ounties of Junex Jugarex in Color on heart the that of faction prenally the dan in with with new deeply cold ( ansamon) a Don . Legion


Howorkenches weekales




Herodias embolistes.




Surysona (anninge Letter - 1) XXX11-87- and airan ale Ecoplais . løger fine estourd hore tail - Offer for a heart a 4.7. e with Dock ferryenous - rear marche. slight disavar a rung - thewat fuler ald region flack thetal pluser Hack with 2-4 ranewahlebows a rout of. fellela tyd per - yn ceddid oage feel Plate green - -. L13-4621. W. 62 2 12




Herodees andemarenses of distant for tox8 pig like H. arka - pury to £ 19.5 6.9.75 - tous. 2.81




Herodias (inglates hill Gall Betweetic in pl. 60) ander 18. page The chile




Lucique du la andamaions is, Tytter sil douiked -




Thra ferding Bearen I onintales, Litt-(des there of I. minuta 2 - 13 - 60 10 ; lail 4.3/1 - cuter 1. exceeding the rest of lash - bill pour frat 1.62 - tours - 15 - unclesded boun - mig . 75 kejend tail. Some has load fuce Hack in thes. peny pay thistly linged why with hat med cupiemes in hope replacing are Makline orifile ige Keet-circly hie pelas tipled block ; feet deef nuge dand black -




Lotivanelles / Sariogramma / atropularis Burner variet




sitta reglida. bolden A.11.14.18/0. Where full that - the few hestals to hope Hait - luce d'uper chails this & has y purauer white that tany white - heart hale rufind deepaing to dat landy an remainder - underte utale with remar with edperys - middle to unfor dat -W3 - hele 2 -Haron hells Tranjou near Hundayenser - Jelle Mater & lyer hill - Deeper former of water surface - & want of while oftet or baral half of mid to.




Ketupa javarensis hefs... anakan




Raptores \_at han p. 10\_ 213
Polionis liverter Popp




hedarinia flanciaxillaris Bl The XIV - 557-Ingularin apo Bl. X11-979 anakar & Cyatoston at Love






Resures


10 Polio herox insignes hald




1 Herrax pingellarun\_ mergen




Spilornin Rutherfunde




Spigaeten allowiger. hergur




Telagofin humannies.




1 Wittinus malaccersor hergin




Mho serfer gutter rales arakan de




Hyperfeter emeder. Zeroperen



arachethera aurala Pegen





mer es - 35 - mondales = I movedales - her in = parance -00 avances

Bagner - ley Junel 1 that and after make winen wale to cand for 8 yet in 30 4 head is high Light onthe fuer me I moentalus = teed in = javanicus P. mikatur - 20 moutables menor Tyavanicis \_ 22 = mondalus =

Chiphida

Le-chut 50 + 12

Le-chut 50 4 by 4 in head pun almi ily haratt soder. teeth in lawn jaw -Nagner - by Tomal I shart and after maje ciences reache to candal for autor lover me to sea feet beatal. D1/7- 11/8-Bolesh Hulmer Atmo grey and Da Therker & mottling on hack 2 numple 11 D. With a red Jakel auturif 2 a duhnel white offer wife - 200 D. Hank int with hightbural beard - I a White certail & while Who mayin I hat aled that is middle When pur thereby - 1 1 5 9/2 ? 13 -

Mando pelpela 201/2. - 67.11h ho 3/2 J. 20 to tourset 1 her for had toe 116 beef hum all feather edged hand lafen alband and belly - i and a hear felled Meiapa 15-5-48/0/a bo 3 7.2 his pt tais to kun tur 4 Doubt how wife inface - Lead - wife och olivacer - book + after bal courts - fel inferred a agre couch - any oak rufur auter and & Mijust on min bull wit dealy tail douby home ate feathe infrent alette - auter wat - penalizate - week whiteh afenent darker a head & well spelled han by hour dups sufer wint rear couch puls infer the latte 1st could to hill Header about last like hell hig, flat allow at bour heralk - legs flat


hnuts in phials w 1 - Small bleak lead on table coting amial matter - 2 - Scripie- mite - Lawa -

But bywaice placedica Long / - 48 /14 lo 8/4, J. 3 = x lune hulf of ten med 1- fort 1 is - y is his in i Mue Maghie While Lead & neck & heast- Hack a white that line from let of heard to dan the rape & reck widing is a famil-Hunaye cline for blue - fulls ther. white the secondance broad so I when denker I al feather board lepler Hart white at the went - Lineall for heart pale light pregish All red - full red - inis 1-27 6.8 7.18 lile gr. 14 tan 2

Ly the bill ful a 23 LN 14 Coop. rad. 2 to three 8 -More ally divi ham - m falle ho hand fulan pellar Bu 51/2 tank 2 = 1 + 11 - 11 Now dust suffiche julia in totale

Less of suffiche julia in totale 1 # 2 tail 1 9 Set. 14 rad 2 tetra to More gellewit supercent hap been all fall viabella the staffe ) Le berfeitelie James ar fruits Laciune ku V v v 2 L= 5 toil 2 W.
ew If tiha J shiffer Home willy is abella buruth pole story cineu cur. muzzle chi se can fellai red - menhane Harts digital spour gell red - inter for a new home hale with hom. Actived eath non a high palon

Pratirede la aira. Hale. Halk; any Hak Telater . 8 Fet Raticale lucio Lan by police Tala imis Turin netting I wife day and hourt him " I muchast when the beaut of flower to hate hunt - nd.c dull pellar I unde by our. My half sears with the tent of feath dear white of new De Manferdin'to I be the times I the top town I enlegent mole the weether I the full thate



Hound Head that diff suffr in yelland - hack reck pupulan + whots cafe lass fall plan It feether, centred him, numb unshetted gellow . tour concents that ar also a terrequila to ruffen jellen a throat to head face gellar mationer & u.t.e . wings & tail denty bur - cont agent all the feathers rangely word fall pecient gellend - tile that - lys flerty - withen rije of I. buya - 31th Saly Herginai - Denotico - tre cho al Meladay - in May - + Lune -Misodon? Faracoutres 012/14-03/8 that vertical denty built let intendited. Jendtel with beat to and of D after 1 recom that - after and to thought to anhal - de 28 - 10 -5th aug


he lung Notes -Afram Minds

white the wife - 20 D. Handred will Lylthand lead - I a White certail I while a wond well in min Hute withing in heile i my - Almo prey BoleM Melenen (0)


he lang Moter Afram Minds

They're Toward endeaved to the of it alies a it laid for den 10 days het died at Schooper atte hid wer handed are to me it in careed types ( having her provided tome in case it diet


Haury latel Kaid a humed triff There the valley of Alsam I wich most interesting facts thems most interesting facts thems -Whilst-at. Suddya, a lung leriones wir horghe dan ara present to the D Consultivier Mayor Stewart distinct for sither of the Hundayan species of andads tohe C. Tommincker het hook to drawing description of that at land to hoole part a bief description -Head much wheart must with flame and in the median line of the overt; a hoad black to pur tekind abilar their to the right justiness



as a way warraw line down the edy of the gulan oken; back samps mixed from Has a indian led the feather ill white If the fuille deep home with pale fulores mettle bands; the longest after t. c falls when ed ged suna led p tiffed Hate extending a fat as the ond of the enjoyeed rectices last we duf hun with I pulment the book per non them well their length, Hack at the tig helas from the heast dings quenish in chellen a few of the feather of the flauth white there the book - this courts flame we with can tale the at - familye Cheek replan sker fellow wixed with one days yellar a title pear xoding of their the Joshy Hait I tof yellow at bace by the flerly denth of slight unfordest his bung




per the reighbrain hills - yat flace & leght quite author het and theyor thewards Upan fried a ford spertimon that the de has son this hid in the its weather in offer Man at so good bight -10 that it may fauf claim a flace constythe hids of Assen - The rations called of on a the Globen fiel When Sight fait above the girl feed raper de of the Sunamporter and Do miles deme dad de l'and levere the destyrches thulbersin & with run traille forty are exceptions wary




prouved two ofenness - They were not alon or i pairs - Fraw I topthing They always keep clace tothe only of the water on the kingle - me that brounded with at once of the water, during like a duck, i was with of deficiely coftined ming to the rapid theam - The legs of feet & point to be fine laainder (Mour not lie) as thated for Lam putty certain that I van men tion flocker of the Cleaking Teal Luquedale floretars - hat well not get rear them - The key such war can the Malland, Italdrake - I Swanf

reflecantly will kne - & how records fand et er har May a fordon Churler in tred on the bucker of river - Selhet - he affect it perported lay groff - a! the offers to but afferfriate hobit - It harden pleasing whitting call I found it is pains Deser.

The part majority of the Freed hid on the Dayaling hield feiner of has a moderate deartien desates me of the few thosein blad not rapely teen hefre was lutialla curren Illustical Delonger - it offan h conflict ufface l'atretabuyth of puch spec. I also got Taxa at Delroego Paradosami flavientes flaminida bergebesis - da listicola al. just a for of thenay of C. Lytten in their - It woulder Ican I poused at Dacea-par app - 1 Ital it popule that The Team chanced lead is a seas mal mark - for or the sound from



justatly to Milling from a pair of astrake - are of them out a hely lead to Rail to gun at kend. These last had a Time ther care med hore all pround by a day of people at Sobrogar also Catch the not for sale for food for their sales hover organicas catrivance - It in I mill Camboo bow about life long who a like new one end though who the thong suns wi has aked a few inches from the end the rest of the carpon a loops - To the and of the low the It the hel in a small twing about 4 - bender long in the at one and of who a thom in therefaced hely banker in fixed - To this a line wheet a I the hose but ight ful ough I who ho is king one the look her der




a place against a reco - The find teens the wiset hope on to the thing near the invect & who at once or when I begin the wired the thing beand the keet the thing fling finey the has the the tale of the hid is carplety de feel by - Ext XXIX. Lalso get a hid free int formalian with a Neimis have afraid Might - who I had pegently soon when lauting for large passe it hip paps - Secon above At clos to

Melaber\_ Scaterlata Mell,


The Hinkon Extends-to the extreme early the valley of Apair - beny command lady When cut after them one day of happen a few The lay lype frafrank they candida and furial tited frem 10 for east-Let fackaty & found Marefus quinticolar who I have not seen for alove 20 years. The wanty there is very jumply - It had not by pencely wither for the plan this per for mille wer Burafratia man de purele with The Garges Flaw what I believed Le Caracco beautitera Mt - 1 acual Rocks but trey - a Mecacae her an Mutual quitting dese \_ It is not for for Davie where or Mertiner my week Mit - Jailon las Messes


pelle for about 2500 to 4000 fe-


Major Cedarin Cester Ken Maned on New Twife of the top of C. little A. Shall call Copselors tectores. Dosc. There glopy greanish deathey a sorty brain oth a fleft of gion an back; head somethed daither; puname tal state Daller from same tist heled like sweethat lighten in poling hightly on The chen & theo of lightly on The chen & theo of Tail 250 -Major Godon Courter found their Swift heed in the police leaf thatch of the long The kapas at asala . The long. inner thatch justedted to the offer roser very small wait findas to There of C. batafræisin - The eggs were also produced I in bunker white -




The same pullanan well known an an excellent feiliges & (inchologient a des processed en affereelly new Trochdofter who Itall pane Trecholofteran Auster x X








the same feutleman which are nticed in my Sufflewent to the Midney Andia = Ponctorhinus Midellande-Dela Above



I produced the many pair ago on the Phane Lies & real of & believed to M! fall but I do not Jes that he has described of get - I ferrared of rather causes affectly in Moth Caker - they're Gotte to along the Tellomeum Kolastie-



The spaces too as for and our secollant ! procured on the Phacies hell, in 1862 sab UM. fuld - I alled to the pride of hedra on on species officed to J. Tickelle of Furfrerain - I fand de for for care is offered & Delengton drester + theyon auster des promed it Mearler - I have recently food it is the

